



LEGEND:

SILVER-GREY GRANITE KERB 100mm UPSTAND REFER TO DRW 1101	
SILVER-GREY GRANITE KERB 25mm UPSTAND REFER TO DRW 1101	
SILVER-GREY GRANITE KERB 0mm UPSTAND REFER TO DRW 1101	
SILVER-GREY GRANITE TRANSITION KERB REFER TO DRW 1101	
SILVER-GREY GRANITE PAVING SLABS WITH BUSH HAMMERED FINISH	
REINFORCED SILVER-GREY GRANITE PAVING SLABS WITH BUSH HAMMERED FINISH FOOTPATH AND RAMP	
SETTS FOOTPATH TO MATCH AS EXISTING	
SURFACE COURSE 45mm - POLYMER MODIFIED STONE MASTIC ASPHALT 10 SURF PMB 65/105-60 DES IN ACCORDANCE WITH TIH-CC-SPW-00900 CL. 5.1.1	
TACTILE PAVING (RED) FOR CONTROLLED CROSSINGS	
CONCRETE FOOTPATH TO TIH'S CC-SCD-01105	
BLACK BORDER GRANITE	

NOTES:

- 1-ALL FOOTPATHS TO BE CLEANED AND SEALED.
- 2-ALL GRANITE SURFACES TO BE TESTED IN ACCORDANCE WITH BS7533.
- 3- CONTRACTOR SHALL BREAKOUT, REMOVE AND DISPOSE OF EXISTING TEMPORARY TIE-IN CONCRETE INTERFACE AND MAKE GOOD TO EXCAVATED AREAS.
- 4- CONTRACTOR MUST ENSURE THAT THE SETTING OUT OF ALL WORKS, INCLUDING KERBING AND PAVING, IS CARRIED OUT A MINIMUM OF 7 DAYS PRIOR TO COMMENCING THAT PARTICULAR SECTION OF THE WORKS AND TO FACILITATE ANY REQUIRED ADJUSTMENTS. LINE AND LEVEL TO BE SET OUT IN ORDER TO ENSURE SMOOTH TRANSITION OF LEVELS AND FALLS
- 5- CONTRACTOR SHALL CARRY OUT A COMPLETE AND THOROUGH CLEANING BY MEANS OF SPECIALIST INDUSTRIAL JETTING EQUIPMENT, SUITABLE FOR USE ON SUCH MATERIALS, TO ALL GRANITE KERBS AND PAVING SURFACES PRIOR TO SUBSTANTIAL COMPLETION AND HANDOVER TO CLIENT. THE CONTRACTOR SHALL ENSURE THAT THE EXISTING BUILDINGS/SHOP FRONTS ARE PROTECTED AND APPROPRIATELY COVERED DURING THE THOROUGH CLEANING AND JETTING OPERATIONS
- 6- CLEANING SHALL REMOVE ALL CONSTRUCTION DEBRIS AND STAINING TO THE COMPLETE SATISFACTION OF THE CLIENT

ORDNANCE SURVEY OF IRELAND LICENCE NO. EN0000820 © GOVERNMENT OF IRELAND

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY.
- NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

Rev No.	Date	Revision Note	Drn by	Chkd by
C01	30.04.21	TENDER ISSUE	JM	CW



Head Office,
9 Prussia Street,
Dublin 7,
D07 KT57

TEL +353 (0)1 8682000

e: contactus@ocsc.ie
w: www.ocsc.ie

Dublin | London | Belfast | Galway | Cork



Client: SLIGO COUNTY COUNCIL
Project: O'CONNELL STREET ENHANCEMENT PROJECT PHASE 02
Title: PROPOSED KERBS, FOOTWAYS AND PAVED AREAS

Code	Originator	Zone	Level	Type	Role	Number	Status	Revision
S589	OCSC	NE	XX	DR	C	1100	A1	C01

Date: 19.04.21 Scale: 1:200 @ A1 Drn by: JM Chkd by: CW Aprvd by: BOR