N4 Collooney to Castlebaldwin, Proposed Road Development

APPENDIX NO. 12.9

PHOTOGRAPHIC PLATES

PREPARED BY:

ECOFACT Environmental Consultants Ltd.



Document Control

Status	Issued For	Signed	Approved
FINAL	Publication	DMcD	W′O′C

TABLE OF CONTENTS

CHAPTER 12: PHOTOGRAPHIC PLATES 1

4

1 CHAPTER 12: PHOTOGRAPHIC PLATES



Plate 1 View of the eastern shore of Toberscanavan Lough, due west of the *Proposed Road Development* alignment.



Plate 2 View to Lough Corran south shore across improved agricultural grassland (GA1).



Plate 3 Turnalaydan Stream (Lough Corran outflow) immediately downstream of the existing N4. The River Unshin cSAC boundary includes this section of the watercourse, extending downstream to its confluence with the Unshin.



Plate 4 View east across Lackagh Fen towards the existing N4 corridor which forms the eastern boundary of this ecologically important site.



Plate 5 The southern portion of Lackagh Fen was found to be drier with a high botanical diversity, including devil's bit scabious, the food plant of the Marsh Fritillary butterfly.



Plate 6 A Tufa spring and bryophyte survey was undertaken at Lackagh Fen (October 2012).



Plate 7 Improved agricultural grassland and wet grassland north of Carrowkeel, characteristic of the general landscape within the study area.



Plate 8 Mixed/coniferous woodland at Carrowkeel, with wet grassland habitats in the foreground.



Plate 9 View of the Drumfin River corridor directly downstream of the proposed crossing point, due south of Carrowkeel. The river at this location has been drained historically and is channelised.



Plate 10 The alignment of the Proposed Road Development includes a small area of willow carr habitat within the floodplain of the Drumfin River, directly south of the proposed crossing point.



Plate 11 Exposed limestone from a historical quarry site at Carrownagark. This area is set in the context of improved agricultural grassland and significant poaching by cattle.



Plate 12 Additional exposed limestone was previously recorded at Carrownagark; however this was removed / degraded by the landowner during the interval between the 2005/2006 and 2009 surveys.



Plate 13 View of the wet grassland and wet heath complex at Carrownagark. The alignment of the proposed road development crosses the agricultural grassland in the background of this image.



Plate 14 Searches for Marsh Fritillary butterfly larvae were carried out at the Carrownagark wet grassland. Devil's bit scabious was found to be common; however, Marsh Fritillary larvae were not recorded.



Plate 15 View of the small wetland at Cuileencroobagh Lough, including reed fringe and quaking mire habitats.



Plate 16 The alignment of the *Proposed Road Development* at Kingsbrook crosses improved agricultural grassland.



Plate 17 View north across the transition mire and wetland habitats at Aghalenane Lough. This ecologically important site is located to the north and east of the alignment.



Plate 18 The wet heath and transition mire habitats along the margins of Aghalenane Lough were searched for Marsh Fritillary butterfly.



Plate 19 View from the north across Loughmeenaghan wetland complex. The *Proposed Road Development* lies to the east and downstream of this site.



Plate 20 Extensive flooding at Loughmeenaghan during November 2009.



Plate 21 Improved agricultural grassland crossed by the alignment at Springfield (north).



Plate 22 The surface water element and swallow hole associated with the Swallow Holes complex at Tawnagh; an ecologically important turlough habitat



Plate 23 Rank wet grassland dominated by soft rush (*Juncus effusus*) at Cloonymeenaghan / Drumderry in the line of the proposed route.



Plate 24 Improved agricultural grassland in the line of the proposed route due north of Castlebaldwin.



Plate 25 Castlebaldwin Castle. The southern end of the proposed alignment will run near this structure as it ties in with the existing N4. No evidence was found of bats using this structure.



Plate 26 Badger road mortality along the existing N4 to the north of the Carrownagark cross-roads.



Plate 27 Much of the proposed road corridor crosses open ground dominated by improved agricultural grassland, with poor habitat for bats.



Plate 28 Undertaking a survey for potential bat activity within a disused building within the CPO line of the *Proposed Road Development*.



Plate 29 An Anabat detector was deployed across the study area during the bat surveys undertaken to inform the ecological assessment.



Plate 30 Newts were recorded from the drain in the northern portion of Lackagh Fen.



Plate 31 Electrical fishing for juvenile lampreys in the Turnalaydan Stream upstream of Lough Corran in July 2013 (Site 5).



Plate 32 White-clawed crayfish *Austropotamobius pallipes,* a protected species listed under Annex II of the EU Habitats Directive (1992) was recorded in the Turnalaydan Stream and in the Toberscanavan Lough outflow in 2013. This species possibly occurs in the Drumfin River also.



Plate 33 Marsh Fritillary larvae were recorded from transition mire habitat in the western and southwestern margins of Aghalenane Lough and also from the southern portion of Lackagh Fen.